



Passion & Innovation



Shenzhen Hyrritt Intelligent Co., Ltd

[www.hyrritt.com](http://www.hyrritt.com)

## Hyrrit A6U Electric Scooter

# Smart Urban Ride. Made Affordable

| Model No.              | HRT A6U - S1                                                    | HRT A6U - S2                                                    |
|------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------|
| Max.Speed              | 30 km/h/18.6 mph                                                | 40 km/h/24.9mph                                                 |
| Battery Specifications | 36V 10.0AH                                                      | 48V 13AH                                                        |
| Charging Time          | 5h                                                              | 7h                                                              |
| Wheel Dimension        | 10 inches                                                       | 10 inches                                                       |
| Rating Power           | 350W                                                            | 600W                                                            |
| Max Power              | 700W                                                            | 1200W                                                           |
| Max. Slope             | 15%                                                             | 23%                                                             |
| Brake Type             | Dual Disc brake and EABS brake                                  | Dual Disc brake and EABS brake                                  |
| Waterproof Level       | IPX5                                                            | IPX5                                                            |
| Suspension             | C-type shock absorption structure, Dual-spring shock absorption | C-type shock absorption structure, Dual-spring shock absorption |
| Frame Material         | Steel                                                           | Steel                                                           |
| Net Weight             | 26.5 kg/58.4 lbs                                                | 27.5 kg/60.6 lbs                                                |
| Payload                | 120 kg/ 264.6 lbs                                               | 120 kg/ 264.6 lbs                                               |
| Folded Size            | 118*60*50CM/ 46.5*23.6*19.7"                                    | 118*60*50CM/ 46.5*23.6*19.7"                                    |
| Expanded Size          | 118*60*128CM/ 46.5*23.6*50.4"                                   | 118*60*128CM/ 46.5*23.6*50.4"                                   |



Frame Material  
**Steel**



Max Power  
**1200W**



Max Battery  
**48V 13.0AH**






Waterproof  
**IPX5**

## Hyritt A8U Electric Scooter

# City Comfort with a Wild Side

| Model No.              | HRT A8U - S                                                     | HRT A8U - D                                                     |
|------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------|
| Max.Speed              | 40 km/h/24.9 mph                                                | 50 km/h/31.1mph                                                 |
| Battery Specifications | 48V 13.0AH                                                      | 48V 18.2AH                                                      |
| Charging Time          | 7h                                                              | 9.5h                                                            |
| Wheel Dimension        | 10 inches                                                       | 10 inches                                                       |
| Rating Power           | 600W                                                            | 600W*2 Dual-Drive                                               |
| Max Power              | 1200W                                                           | 1200W*2 Dual-Drive                                              |
| Max. Slope             | 23%                                                             | 35%                                                             |
| Brake Type             | Dual Disc brake and EABS brake                                  | Dual Disc brake and EABS brake                                  |
| Waterproof Level       | IPX5                                                            | IPX5                                                            |
| Suspension             | C-type shock absorption structure, Dual-spring shock absorption | C-type shock absorption structure, Dual-spring shock absorption |
| Frame Material         | Aluminum Alloy                                                  | Aluminum Alloy                                                  |
| Net Weight             | 26.5 kg/58.4 lbs                                                | 30.4 kg/67.0 lbs                                                |
| Payload                | 120 kg/ 264.6 lbs                                               | 120 kg/ 264.6 lbs                                               |
| Folded Size            | 118*60*50CM/ 46.5*23.6*19.7"                                    | 118*60*50CM/ 46.5*23.6*19.7"                                    |
| Expanded Size          | 118*60*128CM/ 46.5*23.6*50.4"                                   | 118*60*128CM/ 46.5*23.6*50.4"                                   |



Frame Material  
Aluminum Alloy



Max Power  
1200W\*2



Max Battery  
48V 18.2AH



Waterproof  
IPX5

## Hyritt A9U Electric Scooter

# Go Beyond Streets. Built for Trails

| Model No.              | A9U - S                                        | A9U - RS                                       |
|------------------------|------------------------------------------------|------------------------------------------------|
| Max.Speed              | 50 km/h/31.1 mph                               | 80 km/h/49.7mph                                |
| Battery Specifications | 52V 20.0AH                                     | 60V 25AH                                       |
| Charging Time          | 5.5h Dual-Charging                             | 7h Dual-Charging                               |
| Wheel Dimension        | 11 inches                                      | 11 inches                                      |
| Rating Power           | 1000W                                          | 1000W*2 Dual-Drive                             |
| Max Power              | 2000W                                          | 2000W*2 Dual-Drive                             |
| Max. Slope             | 30%                                            | 45%                                            |
| Brake Type             | Hydraulic braking system on Front & Rear wheel | Hydraulic braking system on Front & Rear wheel |
| Waterproof Level       | IPX6                                           | IPX6                                           |
| Suspension             | Dual Hydraulic Suspension                      | Dual Hydraulic Suspension                      |
| Frame Material         | Magnesium Alloy                                | Magnesium Alloy                                |
| Net Weight             | 30kg/66.1 lbs                                  | 36 kg/79.4 lbs                                 |
| Payload                | 140 kg/ 309 lbs                                | 140 kg/ 309 lbs                                |
| Folded Size            | 130*60*57CM/ 51.2*23.6*22.4"                   | 130*60*57CM/ 51.2*23.6*22.4"                   |
| Expanded Size          | 130*60*129.5CM/ 51.2*23.6*51"                  | 130*60*129.5CM/ 51.2*23.6*51"                  |



Frame Material  
Magnesium Alloy



Max Power  
2000W\*2



Max Battery  
60V 25.0AH



Waterproof  
IPX6

## Hyrrit Raptor Electric Scooter

# Unleash Pure Power. Ride Like a Pro

| Model No.              | Raptor-RS                                                | Raptor-S                                                 |
|------------------------|----------------------------------------------------------|----------------------------------------------------------|
| Max.Speed              | 100 km/h/62.1 mph                                        | 80 km/h/49.7mph                                          |
| Battery Specifications | 72V 35.0AH                                               | 60V 25.0AH                                               |
| Charging Time          | 5h Dual-Charging                                         | 4h Dual-Charging                                         |
| Wheel Dimension        | 11 inches (Urban off-road tyre / Real off-road tyre)     | 11 inches (Urban off-road tyre / Real off-road tyre)     |
| Rating Power           | 2000W*2                                                  | 1500W*2                                                  |
| Max Power              | 4000W*2                                                  | 3000W*2                                                  |
| Max. Slope             | 55%                                                      | 50%                                                      |
| Brake Type             | Hydraulic braking system on Front & Rear wheel           | Hydraulic braking system on Front & Rear wheel           |
| Waterproof Level       | IPX6                                                     | IPX6                                                     |
| Suspension             | Front Dual Spring Suspension & Rear Hydraulic Suspension | Front Dual Spring Suspension & Rear Hydraulic Suspension |
| Frame Material         | Magnesium Alloy                                          | Magnesium Alloy                                          |
| Net Weight             | 50kg/110 lbs                                             | 45 kg/99.2 lbs                                           |
| Payload                | 140 kg/ 309 lbs                                          | 140 kg/ 309 lbs                                          |
| Folded Size            | 140*58*56 cm/ 55.1*22.8*22"                              | 140*58*56 cm/ 55.1*22.8*22"                              |
| Expanded Size          | 140*58*135 cm/ 55.1*22.8*53.1"                           | 140*58*135 cm/ 55.1*22.8*53.1"                           |



Frame Material  
**Magnesium Alloy**



Max Power  
**4000W\*2**



Max Battery  
**60V 25.0AH**



Waterproof  
**IPX6**



## Who We Are

We are innovators in electric scooters — designing, engineering, and manufacturing every detail to bring our unique design language to life.

## Vision

To redefine short-distance travel and become the global leader in smart mobility.

## Mission

We create scooters that are stylish, reliable, and eco-friendly, empowering people to move smarter, greener, and with more freedom.



# Shenzhen Hyritt Intelligent Co., Ltd

Address: Floor 2, Building A1, Jiujiutongxin Industrial Park, No. 82, Tongxin Road,  
Longgang District, Shenzhen, China 518116

Website: [www.hyritt.com](http://www.hyritt.com)

Email: [Info@hyritt.com](mailto:Info@hyritt.com)

Tel: +86 18617241019